

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-11-2025 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-11-2025 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Agriculture And Farmers Welfare
विभाग का नाम/Department Name	Department Of Agricultural Research And Education (dare)
संगठन का नाम/Organisation Name	Indian Council Of Agricultural Research (icar)
कार्यालय का नाम/Office Name	Indian Institute Of Spices Research
कुल मात्रा/Total Quantity	25409
वस्तु श्रेणी /Item Category	L3 stackable routing switch with 100GE fiber uplink ports , 24 Port L2 10G Access and Switch , 8 Port Gigabit Network Switch with SFP Ports , 10G Duplex SFP Duplex Transceiver , 17U Network Floor mount Rack , 12U Network Wallmount Rack , 6 U Network Wallmount Rack , 24 Port Loaded Patch Panel , Closed Cable Manager , 1 Mtr CAT6 Patch Cord , 3 Mtr CAT6 Patch Cord , SMB , Faceplate Single , CAT6 I O Socket , Rack Cooling Fan With Power Cord , Rack Hardware Cagennet pack of 10 , 48 Port Duplex LC Loaded LIU , 12 Port Duplex LC Loaded LIU , 6 Port Duplex LC Loaded LIU , 1Mtr LC LC Duplex Patch cord , 3 Mtr LC LC Duplex Patch cord , 6 Socket PDU , 1KVA UPS , Supply of CAT6 Cable , laying of CAT6 Cable , Supply of 48 Core Optical Fiber Cable , Laying of 48 Core Optical Fiber Cable , Supply of 12 Core Optical Fiber Cable , Laying of 12 Core Optical Fiber Cable , Supply of 6 Core Optical Fiber Cable , Laying of 6 Core Optical Fiber Cable , OFC Splicing Charges , 32mm HDPE Pipe with all accessories , Channelling and Conduiting of HDPE Pipe , Supply of 20mm PVC Conduits with Accessories Ivory , Supply of 25mm PVC Conduits with Accessories Ivory , Digging Laying of HDPE Water Pipe in Hard Soil Tar Road Concrete , 4 Meter GI Steel Supporting Pole for Cable Equipment Mounting , Laying of PVC Conduits , Supply 1 Run of 2.5 Sqmm Electrical Cable , Supply 1 Run of 1.5 Sqmm Electrical Cable , laying of Copper cable , Cast Iron Cable Route Marker with Angle Iron Leg 2ft with painting ISI Approved , Supply and Laying of Stay Wire for Overhead Cable Laying , Fixing of 1 nos of 16A socket controlled by 1 switch with surface mounted box Modular , Supply of 1 nos of 16A socket controlled by 1 switch with surface mounted box Modular , Microfiber 6 Inch Hook and Loop Cord Ties for Cable management 50 Nos , Installation Testing and Commissioning Charges

बिड विवरण/Bid Details	
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	<p>L3 stackable routing switch with 100GE fiber uplink ports, 24 Port L2+ 10G Access &amp; Switch , 8-Port Gigabit Network Switch with SFP Ports, 10G Duplex SFP Duplex Transceiver , 17U Network Floor mount Rack , 12U Network Wallmount Rack , 6 U Network Wallmount Rack , 24 Port Loaded Patch Panel , Closed Cable Manager , 1 Mtr CAT6 Patch Cord , 3 Mtr CAT6 Patch Cord , SMB , Faceplate Single, CAT6 I/O Socket , Rack Cooling Fan With Power Cord , Rack Hardware Cagenut - pack of 10 , 48 Port Duplex LC Loaded LIU , 12 Port Duplex LC Loaded LIU, 6 Port Duplex LC Loaded LIU, 1Mtr LC LC Duplex Patch cord, 3 Mtr LC LC Duplex Patch cord, 6 Socket PDU , 1KVA UPS , Supply of CAT6 Cable, laying of CAT6 Cable, Supply of 48 Core Optical Fiber Cable, Laying of 48 Core Optical Fiber Cable, Supply of 12 Core Optical Fiber Cable, Laying of 12 Core Optical Fiber Cable, Supply of 6 Core Optical Fiber Cable, Laying of 6 Core Optical Fiber Cable, OFC Splicing Charges , 32mm HDPE Pipe with all accessories, Channelling &amp; Conduiting of HDPE Pipe, Supply of 20mm PVC Conduits with Accessories Ivory, Supply of 25mm PVC Conduits with Accessories Ivory, Digging, Laying of HDPE/Water Pipe in Hard Soil, 4-Meter GI/Steel Supporting Pole for Cable/Equipment Mounting, Laying of PVC Conduits, Supply 1 Run of 2.5 Sqmm Electrical Cable , Supply 1 Run of 1.5 Sqmm Electrical Cable , laying of Copper cable, Cast Iron Cable Route Marker with Angle Iron Leg 2ft with painting ISI Approved, Supply and Laying of Stay Wire for Overhead Cable Laying , Fixing of 1 nos of 16A socket controlled by 1 switch with surface mounted box, Supply of 1 nos of 16A socket controlled by 1 switch with surface mounted box , Microfiber 6 Inch Hook and Loop Cord Ties for Cable management (50 Nos), Installation Testing and Commissioning Charges</p>
	<p><b>Searched String:</b> L3 stackable routing switch with 100GE fiber uplink ports</p> <p>Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, LCR Meter, Flexible Fiber optic Video Bronchoscope, Layer - 3 Distribution Switch</p> <p><b>Searched String:</b> 24 Port L2+ 10G Access &amp; Switch</p> <p>Layer 2 Access Switch (V2), Layer - 3 Distribution Switch, Layer 3 - Access Switch, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Static Protective Relays</p> <p><b>Searched String:</b> 8-Port Gigabit Network Switch with SFP Ports</p> <p>Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Layer 2 Access Switch (V2), KVM Switch, Layer 3 - Access Switch, Layer - 3 Distribution Switch, Spectrum Analyzers and Vector Network Analyzers</p> <p><b>Searched String:</b> 10G Duplex SFP Duplex Transceiver</p> <p>Duplex Stainless Steel Pipes, File/Folder (V3), Small Form - Factor Pluggable Transceiver, Duplex Roller Chain-IS:2403, Fiber Optic Patch Cord, PT 100 DUPLEX RTD (Air Circuit) (BHEL), Fiber Media converter, Pt 100 Duplex Rid For Stator Winding Core and Tooth (BHEL), Fiber Optic Patch Panels, Rack Mountable, Digital UHF Repeater Sets as per MHA QR (V2)</p>

बिड विवरण/Bid Details	Searched String: 17U Network Floor mount Rack
	<p>Networking / Server Rack, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Floor Mounted Horizontal Profile projector, Fiber Optic Patch Panels, Rack Mountable, hot or cold water dispenser, Evaporative Air Coolers (Desert Coolers) Conforming To IS 3315, Sensitive Drilling Machine, Fibre Cable for Networking, Split Air Conditioner (Floor Type), as per IS: 1391 (part 2), Battery Charger, Heavy Duty</p> <p><b>Searched String:</b> 12U Network Wallmount Rack</p> <p>Networking / Server Rack, Fibre Cable for Networking, Fiber Optic Patch Panels, Rack Mountable, Smart Rack (V2), IP Based KVM Switch</p> <p><b>Searched String:</b> 6 U Network Wallmount Rack</p> <p>Networking / Server Rack, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cat 6 Patch cord, Cat 6 Cable for Indoor Use, Cat 6 Patch Panel (V2), Fibre Cable for Networking, Polyethylene Bags for General Purposes, Smart Rack (V2), IP Based KVM Switch, Spectrum Analyzers and Vector Network Analyzers</p> <p><b>Searched String:</b> 24 Port Loaded Patch Panel</p> <p>Fibre Patch Panel (LIU), Layer 2 Access Switch (V2), Cat 6 Patch Panel (V2), Fiber Optic Patch Panels, Rack Mountable, Layer 3 - Access Switch, Polyester Webbing Slings, ADSS Optical Fibre Cable For laying along Power line alignments, Add on GATEWAYS and Accessories for PABX System, Layer - 3 Distribution Switch, Cloth Dryer Stand</p> <p><b>Searched String:</b> Closed Cable Manager</p> <p>Queue manager, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Closed Circuit Suction Set, Closed Suction Set (V2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, wound cleaning debridement products wound manager, Field Telephone Cable (Telecommunication Cable), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, COD (Chemical Oxygen Demand) Analyzer (Closed Reflux), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> 1 Mtr CAT6 Patch Cord</p> <p>Cat 6 Patch cord, Fiber Optic Patch Cord, Antibacterial Copper Patch Cord for Telecommunication, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Electrical Extension Box (V4), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) - IS 9968 (Part 1), Digital Trainer Kit, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694</p> <p><b>Searched String:</b> 3 Mtr CAT6 Patch Cord</p> <p>Cat 6 Patch cord, Fiber Optic Patch Cord, synthetic web equipment improved version, Antibacterial Copper Patch Cord for Telecommunication, Elastomer Insulated,</p>

<b>बिड विवरण/Bid Details</b>	<p>Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Elastomer Insulated, Textile Braided Cables - IS 9968</p>
	<p>(Part 1), Electrical Extension Box (V4), Desk and Bench Set for Classroom/Training Area, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Desk and Chair Set for Classroom/Training Area</p>
	<p><b>Searched String:</b> SMB</p>
	<p>IUCD 375 for Family Planning Programme, IUCD 380A for Family Planning Programme, Tubal Rings for Family Planning Programme</p>
	<p><b>Searched String:</b> Faceplate Single</p>
	<p>Single Wheel Hoe, Single use Rubber Examination Gloves (V2), Single Band ONT, Multicore Cable as per IS 694, Single Disc Scrubber, Sofa (V3), Single Bed RO Unit For Haemodialysis, Sinks, Single switch IGBT Module, Sterile Hypodermic Syringe (V3)</p>
	<p><b>Searched String:</b> CAT6 I/O Socket</p>
	<p>Medical Staff Aprons, Electrical Extension Box (V4), Disposable Surgical Rubber Gloves (V2), Nasogastric Tube (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Single use Rubber Examination Gloves (V2), modular electrical switches and accessories, Deep Socket, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Flameproof Switch Socket</p>
	<p><b>Searched String:</b> Rack Cooling Fan With Power Cord</p>
	<p>Squats Rack (Version 2), Fan Blades for Cooling Tower fan Rev 1, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1) [DFB/DFM]</p>
	<p><b>Searched String:</b> Rack Hardware Cagennut - pack of 10</p>
	<p>Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Nitrile Coated/Nitrile Hand Gloves (V2), Bag Calico- OFB, General Purpose Hand Gloves (V2), Test Tube Rack, Cotton Bandage Cloth Conforming to IS 863, Illuminated Near Vision Test Drum (V2) - RBSK, Sports Abdominal Guard, Badminton Shuttle Cock (V2) as per IS 415, read write compact disc cd</p>
	<p><b>Searched String:</b> 48 Port Duplex LC Loaded LIU</p>
	<p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU)</p>
	<p><b>Searched String:</b> 12 Port Duplex LC Loaded LIU</p>
	<p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU)</p>
	<p><b>Searched String:</b> 6 Port Duplex LC Loaded LIU</p>
	<p>Fiber Optic Patch Panels, Rack Mountable</p>
	<p><b>Searched String:</b> 1Mtr LC LC Duplex Patch cord</p>
	<p>Fiber Optic Patch Cord, Cat 6 Patch cord, Fiber Optic Patch Panels, Rack Mountable</p>

बिड विवरण/Bid Details	Searched String: 3 Mtr LC LC Duplex Patch cord
	<p>Fiber Optic Patch Cord, Cat 6 Patch cord, Fiber Optic Patch Panels, Rack Mountable, Electrical Extension Box (V4), Locking Compression Plates (V2)</p> <p><b>Searched String:</b> 6 Socket PDU</p> <p>6-Benzylaminopurine, Impact socket, water baths, Deep Socket, Disposable Surgical Rubber Gloves (V2), Insulated socket, patient care mattresses, IC SOCKET, Electrical Extension Box (V4), 6 - Mercaptopurine Tablet</p> <p><b>Searched String:</b> 1KVA UPS</p> <p>Online UPS (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Line Interactive UPS with AVR (V2), Pressure Calibrator, Online Ups Modular Type, Online UPS (<math>\leq</math>10 KVA) Without Battery Conforming To IS 16242 (Part 1), synthetic web equipment improved version, Online UPS (<math>\leq</math>10 KVA) With Battery Conforming To IS 16242 (Part 1), BOD Incubator, Online UPS (<math>&gt;</math>10 KVA) Without Battery</p> <p><b>Searched String:</b> Supply of CAT6 Cable</p> <p>Power Cable Fault Locator, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Cat 6 Cable for Indoor Use, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Cleaning Duster (V3), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Online UPS (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> laying of CAT6 Cable</p> <p>ADSS Optical Fibre Cable For laying along Power line alignments, Power Cable Fault Locator, Cat 6 Cable for Indoor Use, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Online UPS (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Badminton Shuttle Cock (V2) as per IS 415, Line Interactive UPS with AVR (V2)</p> <p><b>Searched String:</b> Supply of 48 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), Splice Closure for Optical Fiber Cables, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Cables suitable for CCTV System (Accessories), Fiber Optics Trainer Kit For Educational Purpose, Fiber Optic Patch Panels, Rack Mountable, ADSS Optical Fibre Cable For laying along Power line alignments, FTTH Drop Cable, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266</p> <p><b>Searched String:</b> Laying of 48 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), ADSS Optical Fibre Cable For laying along Power line alignments, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables,</p>

बिड विवरण/Bid Details	Cables suitable for CCTV System (Accessories), Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Fiber Optics Trainer Kit For Educational Purpose, Fiber Optic Patch Panels, Rack Mountable, FTTH Drop Cable, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266
	<p><b>Searched String:</b> Supply of 12 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), Cleaning Duster (V3), Splice Closure for Optical Fiber Cables, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Chemical Splash Proof Goggle, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Cables suitable for CCTV System (Accessories), Fiber Optics Trainer Kit For Educational Purpose, Fiber Optic Patch Panels, Rack Mountable</p>
	<p><b>Searched String:</b> Laying of 12 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), Chemical Splash Proof Goggle, ADSS Optical Fibre Cable For laying along Power line alignments, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Cables suitable for CCTV System (Accessories), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Fiber Optics Trainer Kit For Educational Purpose, Fiber Optic Patch Panels, Rack Mountable</p>
	<p><b>Searched String:</b> Supply of 6 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Splice Closure for Optical Fiber Cables, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cables suitable for CCTV System (Accessories), PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p>
	<p><b>Searched String:</b> Laying of 6 Core Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), ADSS Optical Fibre Cable For laying along Power line alignments, Metal Free Optical Fibre Cable, Splice Closure for Optical Fiber Cables, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Cables suitable for CCTV System (Accessories), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p>
	<p><b>Searched String:</b> OFC Splicing Charges</p>

<b>बिड विवरण/Bid Details</b>	<p>Ribbon Optical Fiber Splicing Machine as per TEC Specification, Lead Acid Traction Battery as per IS 5154,</p> <p>Optical Fibre Splicing Machine (V2) as per TEC 88090:2012, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, General Purpose Battery Chargers, DC Electric Vehicle Charging Station, Battery Charger, Heavy Duty, Polypropylene Ropes as per IS 5175, Car Charger, Splice Closure for Optical Fiber Cables</p> <p><b>Searched String:</b> 32mm HDPE Pipe with all accessories</p> <p>Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Parallel Bar - Outdoor Gym Equipment, Polyethylene Pipes for Water Supply, tent arctic camping and outdoor equipment, Connection Pipe with Nuts (V2), ROAD BARRIER, HDPE Boat or Rescue ships or boats, Modular Toilet, Swing (Preschool Kit), Waste Pipe</p> <p><b>Searched String:</b> Channelling &amp; Conduiting of HDPE Pipe</p> <p>Irrigation Equipment Sprinkler Pipes (V2) as per IS 14151 (Latest), Polyethylene Pipes for Water Supply, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Water proof HDPE/PP Woven Sack (for packing) - OFB, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Pipe Fitting of Wrought Carbon Steel for Low- Temperature Service, ROAD BARRIER, (HDPE) / (PP) Woven Sacks for Packaging of 50 kg Foodgrains as per IS 14887, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Polyethylene Pipes for Water Supply conforming to IS 4984</p> <p><b>Searched String:</b> Supply of 20mm PVC Conduits with Accessories Ivory</p> <p>Marking Cones</p> <p><b>Searched String:</b> Supply of 25mm PVC Conduits with Accessories Ivory</p> <p>modular electrical switches and accessories, Continuous Dyeing Machine</p> <p><b>Searched String:</b> Digging, Laying of HDPE/Water Pipe in Hard Soil</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> 4-Meter GI/Steel Supporting Pole for Cable/Equipment Mounting</p> <p>Parallel Bar - Outdoor Gym Equipment, High mast pole for national flags (V2)</p> <p><b>Searched String:</b> Laying of PVC Conduits</p> <p>Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Tubing Set for Hemodialysis, Report Cover, Online Blood Cardioplegia Delivery System, Marking Cones, Floor Drain Traps, Skipping Rope (V2)</p>
------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

बिड विवरण/Bid Details	<b>Searched String:</b> Supply 1 Run of 2.5 Sqmm Electrical Cable
	PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), Line Interactive UPS with AVR (V2), Electronic Weighing Scales
	<b>Searched String:</b> Supply 1 Run of 1.5 Sqmm Electrical Cable
	PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Battery Cell as per IS 9128, IS 8144, modular electrical switches and accessories, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical Extension Box (V4), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Line Interactive UPS with AVR (V2), Industrial Siren / Electrical Siren
	<b>Searched String:</b> laying of Copper cable
	Copper Cable Analyser, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, ADSS Optical Fibre Cable For laying along Power line alignments, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Crepe Paper Covered Flexible Copper Cable-BHEL, Wired Router, Power Cable Fault Locator, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694
	<b>Searched String:</b> Cast Iron Cable Route Marker with Angle Iron Leg 2ft with painting ISI Approved
	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Supply and Laying of Stay Wire for Overhead Cable Laying
	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Fixing of 1 nos of 16A socket controlled by 1 switch with surface mounted box
	Category not available on GeM for the text string uploaded by the buyer

<b>बिड विवरण/Bid Details</b>	<p><b>Searched String:</b> Supply of 1 nos of 16A socket controlled by 1 switch with surface mounted box</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Microfiber 6 Inch Hook and Loop Cord Ties for Cable management (50 Nos)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Installation Testing and Commissioning Charges</p> <p>Installation and Commissioning of Air Conditioners at Extra Cost (Excluding Accessories), Test Sieves as per IS 460 (Part 1 and Part 2), pusa soil test and fertilizer recommendation kit, synthetic web equipment improved version, Automated Bacterial Identification and Susceptibility Testing System, Dengue Rapid Test Kits, Planetary Mixer Used for Testing of Cement and Pozzolana, AC SPV Deep Well (Submersible) Pumping Systems (V2), Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing, Typhoid Rapid Test Kits</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Fiber Optic Patch Cord</li> <li>• Networking / Server Rack</li> <li>• Port Fast Ethernet PoE Switch with 2 Gigabit Uplink</li> </ul>
<b>बीओक्यू शीर्षक /BOQ Title</b>	Revamping and upgradation of Computer networking facility at ICAR IISR Kozhikode
<b>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	14 Lakh (s)
<b>मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) /OEM Average Turnover (Last 3 Years)</b>	60 Lakh (s)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover</b>	Yes   Complete
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज/Document required from seller</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्स्टेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	L3 stackable routing switch with 100GE fiber uplink ports
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्ण पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	84000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12
-------------------------------------------------------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### **लाभार्थी /Beneficiary :**

Director, ICAR IISR Kozhikode  
Indian Institute Of Spices Research, Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare (Director)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### **एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### **एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
-----------------------------------------------------------------------------------------------------------------------------------------------------	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1\_4\_2021\_PPD\_dated\_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :**

Compliance Report - [1761390639.xlsx](#)

### **L3 Stackable Routing Switch With 100GE Fiber Uplink Ports**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### **परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1	15

### **24 Port L2 10G Access And Switch**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	13	15

### 8 Port Gigabit Network Switch With SFP Ports

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	4	15

### 10G Duplex SFP Duplex Transceiver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	28	15

#### 17U Network Floor Mount Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1	15

## 12U Network Wallmount Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	10	15

## 6 U Network Wallmount Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	5	15

**24 Port Loaded Patch Panel**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	11	15

**Closed Cable Manager**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	17	15

**1 Mtr CAT6 Patch Cord**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	154	15

**3 Mtr CAT6 Patch Cord**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	152	15

#### SMB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	152	15

#### Faceplate Single

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	152	15

#### CAT6 I O Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	152	15

#### Rack Cooling Fan With Power Cord

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	16	15

### Rack Hardware Cagenut Pack Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	25	15

### 48 Port Duplex LC Loaded LIU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	3	15

#### 12 Port Duplex LC Loaded LIU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	3	15

## 6 Port Duplex LC Loaded LIU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	11	15

## 1Mtr LC LC Duplex Patch Cord

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	27	15

**3 Mtr LC LC Duplex Patch Cord**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	24	15

**6 Socket PDU**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	11	15

**1KVA UPS**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	14	15

**Supply Of CAT6 Cable**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	5185	15

#### Laying Of CAT6 Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	5185	15

#### Supply Of 48 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	140	15

#### Laying Of 48 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	140	15

#### Supply Of 12 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1750	15

### Laying Of 12 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1750	15

### Supply Of 6 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	600	15

#### Laying Of 6 Core Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	600	15

### OFC Splicing Charges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	264	15

### 32mm HDPE Pipe With All Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1250	15

**Channelling And Conduiting Of HDPE Pipe**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1250	15

**Supply Of 20mm PVC Conduits With Accessories Ivory**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1300	15

**Supply Of 25mm PVC Conduits With Accessories Ivory**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1000	15

**Digging Laying Of HDPE Water Pipe In Hard Soil Tar Road Concrete**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	90	15

#### 4 Meter GI Steel Supporting Pole For Cable Equipment Mounting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	7	15

#### Laying Of PVC Conduits

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	2300	15

#### Supply 1 Run Of 2.5 Sqmm Electrical Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	300	15

#### Supply 1 Run Of 1.5 Sqmm Electrical Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	150	15

## Laying Of Copper Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	375	15

## Cast Iron Cable Route Marker With Angle Iron Leg 2ft With Painting ISI Approved

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	20	15

#### Supply And Laying Of Stay Wire For Overhead Cable Laying

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	730	15

### **Fixing Of1 Nos Of 16A Socket Controlled By 1 Switch With Surface Mounted Box Modular**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### **परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	17	15

### **Supply Of1 Nos Of 16A Socket Controlled By 1 Switch With Surface Mounted Box Modular**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	17	15

**Microfiber 6 Inch Hook And Loop Cord Ties For Cable Management 50 Nos**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	2	15

**Installation Testing And Commissioning Charges**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rebeena N	673012,Director ICAR-Indian Institute of Spices Research Marikunnu P O Kozhikode - 673012	1	15

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

ICAR Indian Institute of Spices Research  
Post Bag No.1701  
Marikunnu P O  
Kozhikode  
Kerala - 673 012  
.

**3. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**4. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**5. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates

(whichever is lower), subject to the maximum of quoted GST %.

## 6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Bidder shall submit the following documents along with their bid

- 1 Copy of GSTIN
- 2 Copy of UDYAM Registration certificate for MSE's, if applicable
- 3 OEM authorization certificate
- 4 MII certificate, if any
- 5 Copy of Cancelled Cheque
- 6 Experience Criteria: The Bidder or its OEM should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt. Organization /PSU for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in.
- 7 Bidder is required to submit EMD (If applicable)
- 8 Bidder is required to submit PBG (If applicable)
- 9 Bidder should have ISO 9001, ISO 20000 and ISO 27000 Certification (.
- 10 CMMI Level : 3.0 or higher.
- 11 Bidder should have at least 10 years of service in Kerala.
- 12 The bidder is advised to visit and examine the site and its surroundings and obtain all information that may be necessary for preparing the Bid during the office time from 10.00 am to 5.00 pm. The costs of visiting the site shall be borne by the bidder.
- 13 Your billing address should be drawn in the name of "The Director, Indian Institute of Spices Research, Marikkunnu Po, Kozhikode-673012" may be send to the consignee together with the supporting documents/certificate/voucher/delivery receipt/ challan etc. for arranging payment after obtaining satisfactory installation certificate from the consignee.
- 14 .

## 7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## 8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

## 9. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

## 10. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

## 11. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director  
payable at  
ICAR IISR Kozhikode

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

## 12. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Indian Institute of Spices Research  
Account No.  
30302810771  
IFSC Code  
SBIN0000861  
Bank Name  
State Bank of India  
Branch address  
Main Branch, Kozhikode

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

## 13. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director  
payable at  
ICAR IISR Kozhikode

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

## 14. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Indian Institute of Spices Research  
Account No.  
30302810771  
IFSC Code  
SBIN0000861  
Bank Name  
State Bank of India  
Branch address  
Main Branch, Kozhikode

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

## **अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---ધ્યાદ/Thank You---